



CDS/ISIS for Windows (Winisis)

for

School Library

CDS/ISIS

- Computerised Documentation System / Integrated Sets of Information System
- It is a bibliographical software.
- CDS/ISIS started 1985 by UNESCO.




CDS/ISIS Version

- CDS/ISIS for Dos
- CDS/ISIS for Windows (WINISIS)
- CDS/ISIS for JAVA (Web Base)
- WWWISIS
- GENISIS
- WEBLIS



CDS/ISIS for Windows (WINISIS)

Minimum Hardware requirements

- CPU 486 processor at 40 Mhz
 - RAM 8MB
 - Floppy or CD-Rom drive
 - 4MB Hard disk
 - Color screen monitor
 - Printer
 - Windows 3.1 or higher
- 

CDS/ISIS for Windows (WINISIS)

C: drive

Winisis

bg ctl3d data doc menu msg plugin prog work



CDS/ISIS for Windows (WINISIS)

- Create many databases.
- One database has 16 millions records stored (limit 500 MB)
- Boolean search (and, not, or)
- Export / Import facility
- Audio Visual can play
- Display scan images
- Link to the internet and e-mail
- Link between two and more databases



CDS/ISIS for Windows (WINISIS)

- One FDT has taken 200 fields
- One field has >8000 characters
- Create 20 worksheet
- At a time open multiple databases
- Password
- Parameters (syspar.par)



CDS/ISIS for Windows (WINISIS)

Data base definition files


FDT	[Field Definition Table]
FMT	[Data entry worksheet(s)]
PFT	[Print display format(s)]
FST	[Field select table(s)]




Installation WINISIS



CDS/ISIS 1.5 for Windows




CDS/ISIS 1.5 for Windows




CDS/ISIS 1.5 for Windows




CDS/ISIS 1.5 for Windows



CDS/ISIS 1.5 for Windows



CDS/ISIS 1.5 for Windows



CDS/ISIS 1.5 for Windows

Read-Me

CDS/ISIS for Windows 1.5 build 3
December 2003
UNESCO (c)
<http://www.unesco.org/webworld/isis>

In co-operation with BIREME
<http://www.bireme.br>

Part of this work is derived from
"the JPEG independent group"


THE INFORMATION AND CODE SUPPLIED IS PROVIDED AS IS WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL UNESCO BE LIABLE FOR ANY DAMAGES WHATSOEVER INCLUDING DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, LOSS OF BUSINESS PROFITS OR SPECIAL DAMAGES, EVEN UNESCO HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

OK


CDS/ISIS 1.5

Windows 3.11, 95, 98, Me, 2000, XP

CDS/ISIS 1.5 for Windows



Installed WINISIS folder






Windows XP Professional

- Set Program Access and Defaults
- Windows Catalog
- Windows Update
- WinZip
- VCD Cutter
- Fruit Smash
- Programs**
- Documents
- Settings
- Search
- Help and Support
- Run...
- Shut Down...

- ST
- TeraCopy
- Winisis
- Accessories
- Applications GENISIS
- CDS_ISIS for Windows**
 - CDS_ISIS for Windows
 - Help on Winisis
 - Read Me
 - Reference Manual
- DVDVideoSoft
- Kewlbox Games
- Microsoft Office

WINISIS



How to create Book Database ?





- Open...
 - New...
 - Close
 - Close All
 - Import...
 - Export...
 - I/F Update...
 - Print...
 - Printer Setup...
 - Exit
- 1 c:\winisis\School\MENU.MST
 - 2 c:\winisis\School\BOK.MST
 - 3 c:\winisis\School\STU.MST
 - 4 c:\winisis\data\cir.mst
 - 5 c:\winisis\School\TEA.MST



Data Base Definition - New

Database Name:

Please enter the name of your new database (max. 6 characters). If you provide a pathname, Winisis will create the corresponding dbnpar.par file.



Data Base Definition - Field Table (BOOK.MST)

Tag:	Name:	Type:	Rep:	Pattern/Subfields:
901		Alphanumeric	<input type="checkbox"/>	
100	ISBN	Alphanumeric	R	A
200	TITLE	Alphanumeric	-	ABCE
260	EDITION STT.	Alphanumeric	-	A
300	NAME OF PERSON(S)	Alphanumeric	-	
400	PLACE AND PUBLISHER	Alphanumeric	-	ABCD
440	DATE OF PUBLICATION	Alphanumeric	-	
460	PHYSICAL DESCRIPTION	Alphanumeric	-	ABC
610	CLASSIFICATION SCHEME NOTAT	Alphanumeric	-	ABC
620	SUBJECT DESCRIPTOR	Alphanumeric	-	
900	ACCESSION NUMBER	Alphanumeric	R	

Step 1. Field Definition

Define the structure of your data base by entering tag fields, descriptors, types and patterns.



Data Base Definition - Data Entry Worksheets (BOOK.MST)

Worksheet: **BOOK**

Fields:

- 100 ISBN
- 200 TITLE
- 260 EDITION STT.
- 300 NAME OF PERSON(S
- 400 PLACE AND PUBLIS
- 440 DATE OF PUBLICATI
- 460 PHYSICAL DESCRIP1
- 610 CLASSIFICATION SCI
- 620 SUBJECT DESCRIPT
- 900 ACCESSION NUMBER

Data Entry Fields:

Prompt for complete data on insert

Record validation

Step 2. Worksheet Definition

Create your own data entry worksheets by choosing which fields you want to edit and their order.

Cancel Help



Data Base Definition - Data Entry Worksheets (BOOK.MST)

Worksheet: **BOOK**

Fields:

- 100 ISBN
- 200 TITLE
- 260 EDITION STT.
- 300 NAME OF PERSON(S)
- 400 PLACE AND PUBLISHER
- 440 DATE OF PUBLICATION
- 460 PHYSICAL DESCRIPTION
- 610 CLASSIFICATION SCHEME
- 620 SUBJECT DESCRIPTOR
- 900 ACCESSION NUMBER

Data Entry Fields:

- 100 ISBN
- 200 TITLE
- 260 EDITION STT.
- 300 NAME OF PERSON(S)
- 400 PLACE AND PUBLISHER
- 440 DATE OF PUBLICATION
- 460 PHYSICAL DESCRIPTION
- 610 CLASSIFICATION SCHEME NOTATION
- 620 SUBJECT DESCRIPTOR
- 900 ACCESSION NUMBER**

Prompt for complete data on insert

Record validation

Step 2. Worksheet Definition

Create your own data entry worksheets by choosing which fields you want to edit and their order.

Cancel Help



CDS/ISIS Wizard [X]

 Do you want Winisis to launch the Print Format Assistant?





Data Base Definition - Formats (BOOK.MST)

Format name: **BOOK**

```
f2,c14,m(3937,-3937)
(if p(v100) then 'ISBN (100):',tab(3937),v100/fi)
"TITLE (200):",tab(3937),v200/
"EDITION STT. (260):",tab(3937),v260/
"NAME OF PERSON(S) (300):",tab(3937),v300/
"PLACE AND PUBLISHER (400):",tab(3937),v400/
"DATE OF PUBLICATION (440):",tab(3937),v440/
"PHYSICAL DESCRIPTION (460):",tab(3937),v460/
"CLASSIFICATION SCHEME NOTATIONAABC (610):",tab(3937),v610/
"SUBJECT DESCRIPTOR (620):",tab(3937),v620/
(if p(v900) then 'ACCESSION NUMBER (900):',tab(3937),v900/fi)
```

Step 3. Print Format Definition
Define the way ISIS will present your data to the end user.

Cancel **Help**



Database Definition Wizard [X]

 Do you want Winisis to launch the Dictionary Assistant?



Database Definition - FST Wizard

Technique: 0 - by line

- ISBN (100)
- TITLE (200)
- EDITION STT. (260)
- NAME OF PERSON(S) (300)
- PLACE AND PUBLISHER (400)
- DATE OF PUBLICATION (440)
- PHYSICAL DESCRIPTION (460)
- CLASSIFICATION SCHEME NOTATIONAABC (61
- SUBJECT DESCRIPTOR (620)

Select which fields you wish to be included in the database dictionary. The selected technique applies to all fields.

Cancel Ok



Data Base Definition - Extraction Tables (BOOK.MST)

FST File: **BOOK**

Tag/Name: **100 ISBN** Technique: **0 - by line**

Format: **mhl, (v100/)** **Add**

Entries: **New** **Delete** **Undo**

- 100 0 mhl,(v100/)
- 200 0 mhl,v200
- 260 0 mhl,v260
- 300 0 mhl,v300
- 400 0 mhl,v400
- 440 0 mhl.v440


Step 4. Field Selection Table Definition

Define criteria for extracting one or more elements from a Master File record for indexing, sorting or reformatting.

Help **Cancel** **Terminate**



CDS/ISIS Wizard [X]


 Winisis will now create the database. Do you want to continue? (c:\winisis\School\BOOK.MST)



Success! [X]

 Data base has been created!

OK





c:\winisis\School\book.mst

MFN 1 [Navigation buttons] Format: BOOK



DBASE STATUS NORMAL MAX: 0 [Navigation buttons]



- Data entry
- Delete record
- Copy to Clipboard
- Clear Clipboard
- Field Definition Table
- Data Entry Worksheets
- Print Formats
- Field Selection Tables


c:\winisis\School\...

MFN 1

Format: BOOK

DBASE STATUS NORMAL

MAX: 0



MFN 1 Options ▾

Worksheet: BOOK ▾

Add field: <-> ▾

^a0-14-062056-7

ISBN

1 ^a0-14-062056-7

TITLE ^aThe secret agent^b / by Joseph Conrad

NAME OF PERSON(S) Conrad, Joseph

PLACE AND PUBLISHER ^aLondon^bPenguin Books Ltd.^c27Wright Lane^dEngland

DATE OF PUBLICATION Y 1994

PHYSICAL DESCRIPTION ^a249p.^c18 cm x 11 cm

CLASSIFICATION SCHEME NOTATION ^a823^bCON

SUBJECT DESCRIPTOR fiction

story

ACCESSION NUMBER

1 2143

15
bytes



MFN 1 [Navigation buttons: Home, Previous, Next, End]

Worksheet: **BOOK** Add field: <->

^a0-14-062056-7

ISBN	1	^a0-14-062056-7
TITLE		^aThe secret agent^b / by Joseph Conrad
NAME OF PERSON(S)		Conrad, Joseph
PLACE AND PUBLISHER		^aLondon^bPenguin Books Ltd.^c27Wright
DATE OF PUBLICATION		Y 1994
PHYSICAL DESCRIPTION		^a249p.^c18 cm x 11 cm
CLASSIFICATION SCHEME NOTATION		^a823^bCON
SUBJECT DESCRIPTOR		fiction story
ACCESSION NUMBER	1	2143

Options

- Open dictionary
- Create a new record
- Create a copy
- Reload record from disk
- Delete record
- Undelete record
- Define Default values (Model)
- Clear Default values (Model)
- Clear Entries
- Help on Data entry
- Choose font

15 bytes



MFN 1 Format: BOOK

ISBN (100): ^a0-14-062056-7
TITLE (200): ^aThe secret agent^b / by Joseph Conrad
NAME OF PERSON(S) (300): Conrad, Joseph
PLACE AND PUBLISHER (400): ^aLondon^bPenguin Books Ltd.^c27Wright Lane^dEngland
DATE OF PUBLICATION (440): Y 1994
PHYSICAL DESCRIPTION (460): ^a249p.^c18 cm x 11 cm
CLASSIFICATION SCHEME NOTATIONAABC (610): ^a823^bCON
SUBJECT DESCRIPTOR (620): fictionstory
ACCESSION NUMBER (900): 2143

MAX: 2

Edit PFT / Toggle among the ASCII view and the PFT Editor



MFN1 Format: BOOK

ISBN (100): 0-14-062056-7
 TITLE (200): The secret agent / by Joseph Conrad
 NAME OF PERSON(S) (300): Conrad, Joseph
 PLACE AND PUBLISHER (400): ^aLondon^bPenguin Books Ltd.^c27Wright Lane^dEngland
 DATE OF PUBLICATION (440): Y 1994
 PHYSICAL DESCRIPTION (460): ^a249p.^c18 cm x 11 cm
 CLASS. NO. (610): ^a823^bCON
 SUBJECT DESCRIPTOR (620): fictionstory
 ACCESSION NUMBER (900): 2143

fs28,c14,m(3937,-3937)

```
(if p(v100) then 'ISBN (100):',tab(5037),v100^a/fi)
"TITLE (200):",tab(5037),v200^a,v200^b/
"EDITION STT. (260):",tab(5037),v260/
"NAME OF PERSON(S) (300):",tab(5037),v300/
"PLACE AND PUBLISHER (400):",tab(5037),v400/
"DATE OF PUBLICATION (440):",tab(5037),v440/
"PHYSICAL DESCRIPTION (460):",tab(5037),v460/
"CLASS. NO. (610):",tab(5037),v610/
"SUBJECT DESCRIPTOR (620):",tab(5037),v620/
(if p(v900) then 'ACCESSION NUMBER (900):',tab(5037),v900/fi)
```

MAX: 2



MFN 1 Format: BOOK

823 Conrad, Joseph

CON

The secret agent / by Joseph Conrad. London: Panguin Books Ltd., Y 1994.

249p. ; 18 cm x 11 cm

ISBN : 0-14-062056-7 Price : Rs. 72.90

Keywords : fiction; story

Acc. No : 2143

2143 -

```

fs28,b{c11,v610^a},{tab(1900),v300+|; |,#v610^b,}' '(c113,"(v610^c)", #/)
{c113,m(2100),v200^a, {c11,v200^b|. |' '},
{c112,v260^a| . |}{c16,v400^a|: |, v400^b|, |,}
{c16,v440|. |}#{c15,v460^a| ; |, v460^b| : |, v460^c}}#
{c14,tab(2100),"ISBN : ", v100^a, tab(6000),"Price : ", v465^a,#/)
{c13,m(2000),"Keywords : ", v620+|; |,} ###/
{c15,tab(2000),"Acc. No : ", v900+|; |, tab(9000),}#
#{Link((v900| - |),'TEXTBOXRCHILDLOAD NP'),c14,fs28,
ref->edu(l->edu(v900),(c113,mh1,' ISSUED to: ', v1, '- (v9) - ')
ref->edu(l->edu('B1=' v900),v13),
ref->edu(l->edu('B2=' v900),v16)/)

```

MAX: 2



MFN 1 Format: BOOK

823 Conrad, Joseph

CON

The secret agent / by Joseph Conrad. London: Panguin Books Ltd., Y 1994.

249p. ; 18 cm x 11 cm

ISBN : 0-14-062056-7 Price : Rs. 72.90


Keywords : fiction; story

Acc. No : 2143

2143 ISSUED to: Chintan N. Zala

MAX: 2






MFN: Format:

Member's Name : Chintan N. Zala



2143 - The secret agent
Issue Date : 20090920
Return Date : 20091005

2144 - Nostromo
Issue Date : 20090920
Return Date : 20091005



Library Main Menu

c:\winisis\School\STU.MST

MFN 1



Format: STU

Member's Name : Chintan N. Zala



M/

STU

823

Conrad, Joseph

CON

Nostromo / by Joseph Conrad . London:
Penguin Books Ltd., Y 1994.

463p. ; 18 cm x 11 cm

ISBN : 0-14-062028-1 Price : Rs. 72.90

Keywords : fiction; story; silver of the
 mine; isabels; lighthouse;

Acc. No : 2144

0000007

Donated By : B. S. Nagesh

Thank You

Niraj R. Patel

MICA-KEIC

niraj@micamail.in

